

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

Bilag 2 Søgehistorik

PubMed

Der er initialt søgt på følgende søgetermer: Child, children, pediatric, paediatric, neonate, preterm, infant, baby, analgesia, analgesic, acute pain, procedural pain, postoperative pain assessment, Evaluation, intensity, measure, metric, rating, reliability, scale, score, tool, validity or validation , procedural pain post-operative, medical procedure postoperative, procedure operation.

Kombinationer af AND, OR og NOT. Se venligst Prisma Flowcharge Bilag 1. Supplerende er søgt på specifikke redskaber. Resultater angivet her:

Wong and Baker FACES Pain Scale: - børn fra 3-18 år

Database	Søgestreng	Hits	Antal valgt
PubMed	Wong[Title] AND Baker[Title] AND FACES[Title] AND Pain[Title] AND Scale[Title]	3	2
Cinahl	do	23	0
Embase	do	32	0
Web of Science	do	31 (5 dubletter)	0

Faces Pain Scale-Revised (FRS-R) – børn 4-12 år

Database	Søgestreng	Hits	Antal valgt
PubMed	(("facial pain"[MeSH Terms] OR ("facial"[All Fields] AND "pain"[All Fields]) OR "facial pain"[All Fields] OR ("faces"[All Fields] AND "pain"[All Fields]) OR "faces pain"[All Fields]) AND Scale-Revised[All Fields] AND ("child"[MeSH Terms] OR	29 hits (2 dubletter)	3

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

	"child"[All Fields] OR "children"[All Fields])) AND ("2010/03/20"[PDat] : "2015/03/18"[PDat])		
Cinahl	do	10 (2 dubletter)	0
Embase	do	0	0
Web of Science	do	8 (1 dublet)	1

Visual Analouge Scale (VAS)

Database	Søgestreng	Hits	Antal valgt
PubMed	("visual analogue scale"[All Fields] OR "visual analog scale"[MeSH Terms] OR ("visual"[All Fields] AND "analog"[All Fields] AND "scale"[All Fields]) OR "visual analog scale"[All Fields]) AND VAS[All Fields] AND ("child"[MeSH Terms] OR "child"[All Fields] OR "children"[All Fields]) AND ("2010/03/20"[PDat] : "2015/03/18"[PDat])= 193 3	10 (2 dubletter)	0
Cinahl	do	10 (2 dubletter)	0
Web of Science	do	11	0
Embase	do	11	0

Numerisk Rating Scala (NRS) børn fra 8-18 år.

Database	Søgestreng	Hits	Antal valgt
Pubmed	(verbal[All Fields] AND numerical[All Fields] AND rating[All Fields] AND ("weights and	10 (1 dublet)	5

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

	measures"[MeSH Terms] OR ("weights"[All Fields] AND "measures"[All Fields]) OR "weights and measures"[All Fields] OR "scale"[All Fields]) AND ("child"[MeSH Terms] OR "child"[All Fields] OR "children"[All Fields])) AND ("2010/03/20"[PDat] : "2015/03/18"[PDat])		
Cinahl	do	0	0
Embase	do	11	0
Web of Science	do	0	0

Pieces of Hurt Tool – børn 3-8 år.

Database	Søgestreng	Hits	Antal valgt
PubMed	Pieces[All Fields] AND Hurt[All Fields] AND Tool[All Fields]	0	0
Cinahl	do	0	0
Embase	do	0	0
Web of Science	do	0	0

The Multiple Size Poker Chip Tool (MSPCT) – børn 4-6 år.

Database	Søgestreng	Hits	Antal valgt
PubMed	(Multiple[All Fields] AND Size[All Fields] AND Poker[All Fields] AND Chip[All Fields] AND Tool[All Fields]) AND	0	0

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

	MSPCT[All Fields]		
Cinahl	do	0	0
Embase	do	0	0
Web of Science	do	0	0

COMFORT – børn 28 dage -18 år.

Database	Søgestreng	Hits	Antal valgt
PubMed	COMFORT[All Fields] AND tool[All Fields]) AND (("pain"[MeSH Terms] OR "pain"[All Fields]) AND measuring[All Fields]	2	1
Cinahl	do	0	0
Embase	do	0	0
Web of Science	do	2	0

Face, Legs, Arms, Cry and Consolability (FLACC) børn 1-18 år.

Database	Søgestreng	Hits	Antal valgt
PubMed	FLACC[All Fields] AND (("pain"[MeSH Terms] OR "pain"[All Fields]) AND measuring[All Fields]) AND ("child"[MeSH Terms] OR "child"[All Fields] OR "children"[All Fields])	1	1
Cinahl	do	0	0
Embase	do	4	0
Web of Science	Do	3	0

Children's Hospital of Eastern Ontario Pain Scale (CHEOPS) børn 1-18 år.

Database	Søgestreng	Hits	Antal valgt
PubMed	(("hospitals,	11	2

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

	pediatric"[MeSH Terms] OR ("hospitals"[All Fields] AND "pediatric"[All Fields]) OR "pediatric hospitals"[All Fields] OR ("children's"[All Fields] AND "hospital"[All Fields]) OR "children's hospital"[All Fields]) AND Eastern[All Fields] AND ("ontario"[MeSH Terms] OR "ontario"[All Fields]) AND ("weights and measures"[MeSH Terms] OR ("weights"[All Fields] AND "measures"[All Fields]) OR "weights and measures"[All Fields] OR "scale"[All Fields])) AND CHEOPS[All Fields] AND ("2010/03/20"[PDat] : "2015/03/18"[PDat])		
Cinahl	do	0	0
Embase	do	52 (2 dubletter)	0
Web of Science	do	0	0

Reviesed-FLACC – børn 4-18 år.

Database	Søgestreng	Hits	Antal valgt
PubMed	Non-	0	0

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

	Communicating Children's Pain Checklist (NCCPC-R) børn 3 – 18 år (Non-Communicating[All Fields] AND Children's[All Fields] AND ("pain"[MeSH Terms] OR "pain"[All Fields]) AND ("checklist"[MeSH Terms] OR "checklist"[All Fields])) AND NCCPC-R[All Fields]		
Cinahl	do	0	0
Embase	do	12 (1 dublet)	0
Web of Science	do	0	0

Non-Communicating Children's Pain Checklist – Postoperative version (NCCPC-PV) børn 3 – 18 år.

Database	Søgestreng	Hits	Antal valgt
PubMed	NCCPC-PV[All Fields]	0	0
Cinahl	do	0	0
Embase	do	3	0
Web of Science	do	0	0

The Pediatric Pain Profile (PPP): Børn 1-18 år.

Database	Søgestreng	Hits	Antal valgt
PubMed	("pediatrics"[MeSH Terms] OR "pediatrics"[All Fields] OR "paediatric"[All Fields]) AND	2	0

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

	("pain"[MeSH Terms] OR "pain"[All Fields]) AND profile[All Fields] AND ("Philos Psychiatr Psychol"[Journal] OR "ppp"[All Fields])		
Cinahl	do	0	0
Embase	do	0	0
Web of Science	do	0	0

Samlet 15artikler relevant for kritisk vurdering og resumering. Se venligst bilag 3.

(1-15)

Referencer

1. Castarlenas E, Sanchez-Rodriguez E, Vega Rde L, Roset R, Miro J. Agreement Between Verbal and Electronic Versions of the Numerical Rating Scale (NRS-11) when Used to Assess Pain Intensity in Adolescents. *The Clinical journal of pain*. 2015;31(3):229-34.
2. de Azevedo CB, Carenzi LR, de Queiroz DLC, Anselmo-Lima WT, Valera FCP, Tamashiro E. Clinical utility of PPPM and FPS-R to quantify post-tonsillectomy pain in children. *Int J Pediatr Otorhinolaryngol*. 2014;78(2):296-9.
3. Sanchez-Rodriguez E, Miro J, Castarlenas E. A comparison of four self-report scales of pain intensity in 6- to 8-year-old children. *Pain*. 2012;153(8):1715-9.
4. Hadden KL. A comparison of observers' and self-report pain ratings for children with cerebral palsy. *Journal of developmental and behavioral pediatrics*. 2015;36(1):14-23.
5. Myrvik MP, Drendel AL, Brandow AM, Yan K, Hoffmann RG, Panepinto JA. A Comparison of Pain Assessment Measures in Pediatric Sickle Cell Disease: Visual Analog Scale Versus Numeric Rating Scale. *Journal of pediatric hematology/oncology*. 2015.

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

6. Massaro M, Ronfani L, Ferrara G, Badina L, Giorgi R, D'Osualdo F, et al. A comparison of three scales for measuring pain in children with cognitive impairment. *Acta Paediatrica*. 2014;103(11):e495-e500.
7. von Baeyer CL, Chambers CT, Forsyth SJ, Eisen S, Parker JA. Developmental data supporting simplification of self-report pain scales for preschool-age children. *The journal of pain : official journal of the American Pain Society*. 2013;14(10):1116-21.
8. Dorfman TL, Sumamo Schellenberg E, Rempel GR, Scott SD, Hartling L. An evaluation of instruments for scoring physiological and behavioral cues of pain, non-pain related distress, and adequacy of analgesia and sedation in pediatric mechanically ventilated patients: A systematic review. *Int J Nurs Stud*. 2014;51(4):654-76.
9. Castarlenas E, Miro J, Sanchez-Rodriguez E. Is the verbal numerical rating scale a valid tool for assessing pain intensity in children below 8 years of age? *The journal of pain : official journal of the American Pain Society*. 2013;14(3):297-304.
10. Savino F, Vagliano L, Ceratto S, Viviani F, Miniero R, Ricceri F. Pain assessment in children undergoing venipuncture: the Wong-Baker faces scale versus skin conductance fluctuations. *PeerJ*. 2013;1:e37.
11. Cook KF, Dunn W, Griffith JW, Morrison MT, Tanquary J, Sabata D, et al. Pain assessment using the NIH Toolbox. *Neurology*. 2013;80(11 Suppl 3):S49-53.
12. Oliveira Md. Psychophysical parameters of a multidimensional pain scale in newborns. *Physiological measurement*. 2012;33(1):39-49.
13. Tsze DS, von Baeyer CL, Bulloch B, Dayan PS. Validation of self-report pain scales in children. *Pediatrics*. 2013;132(4):e971-9.
14. Page MG, Katz J, Stinson J, Isaac L, Martin-Pichora AL, Campbell F. Validation of the numerical rating scale for pain intensity and unpleasantness in pediatric acute postoperative pain: sensitivity to change over time. *The journal of pain : official journal of the American Pain Society*. 2012;13(4):359-69.
15. Garra G, Singer AJ, Domingo A, Thode HC, Jr. The Wong-Baker pain FACES scale measures pain, not fear. *Pediatric emergency care*. 2013;29(1):17-20.

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

Side 9

www.cfkr.dk

kontakt@cfkr.dk

Institut for Medicin og Sundhedsteknologi
Aalborg Universitet
Frederik Bajers Vej 7 E4
DK-9220 Aalborg

